

 **DEAGOSTINI**
from 1946



100726205000

Vetrina in acciaio e plexy apribile da due lati. Base in legno.

Stainless steel and plexy display, can be opened from two sides. Wood base.

Vitrina en acero y plexy, se puede abrir por los dos lados. Base de madera.

Vitrine en acier et plexy ouvrable des deux côtés. Base en bois.

100726205000 - L cm 50x35 - H cm 23

100726208000 - L cm 80x35 - H cm 23



100727005000

Vassoio per vetrina.

Tray for display.

Bandeja para vitrina.

Plateau pour vitrine.

100727005000 - L cm 48x33

100727008000 - L cm 78x33



100726305000

Vetrina in acciaio e plexy apribile da due lati.

Stainless steel and plexy display, can be opened from two sides.

Vitrina de acero y plexy, se puede abrir por los dos ados.

Vitrine en acier et plexy ouvrable des deux côtés.

100726305000 - L cm 50x35 - H cm 21

100726308000 - L cm 80x35 - H cm 21



100726005000

Vetrina a due piani in acciaio e plexy apribile da due lati. Base in legno.

Two floors display in stainless steel and plexy, can be opened from two sides. Wood base.

Vitrina dos pisos, en acero y plexy, se puede abrir por los dos lados. Base de madera.

Vitrine à deux niveaux en acier et plexy ouvrable des deux côtés. Base en bois.

100726005000 - L cm 50x35 - H cm 38

100726008000 - L cm 80x35 - H cm 38



100726805000

Vetrina a due piani in acciaio e plexy apribile da due lati.

Two floors display in stainless steel and plexy, can be opened from two sides.

Vitrina dos pisos, de acero y plexy, se puede abrir por los dos lados.

Vitrine à deux niveaux en acier et plexy ouvrable des deux côtés.

100726805000 - L cm 50x35 - H cm 36

100726808000 - L cm 80x35 - H cm 36





100725905000

Vetrina refrigerata in acciaio e plexy apribile da due lati. Base in legno.

Refrigerated display in stainless steel and plexy, can be opened from two sides. Wood base.

Vitrina refrigerada, en acero inox y plexy, se puede abrir por los dos lados. Base de madera.

Vitrine réfrigérée en acier et plexy ouvrable des deux côtés. Base en bois.

100725905000 - L cm 50x35 - H cm 23

100725908000 - L cm 80x35 - H cm 23



Raffreddamento con panetto di ghiaccio
Refrigerated by cooling pack
Refrigerado con acumulador térmico
Refroidissement avec pains de glace



100727005000

Vassoio per vetrina.

Tray for display.

Bandeja para vitrina.

Plateau pour vitrine.

100727005000 - L cm 48x33

100727008000 - L cm 78x33



100726105000

Vetrina refrigerata in acciaio e plexy apribile da due lati.

Refrigerated display in stainless steel and plexy, can be opened from two sides.

Vitrina refrigerada de acero inox y plexy, se puede abrir por los dos lados.

Vitrine réfrigérée en acier et plexy ouvrable des deux côtés.

100726105000 - L cm 50x35 - H cm 21

100726108000 - L cm 80x35 - H cm 21



100725705000

Vetrina refrigerata a due piani in acciaio e plexy, apribile da due lati. Base in legno.

Refrigerated two floors display in stainless steel and plexy, can be opened from two sides. Wood base.

Vitrina refrigerada dos pisos, en acero inox y plexy, se puede abrir por los dos lados. Base de madera.

Vitrine réfrigérée à deux niveaux en acier et plexy, ouvrable des deux côtés. Base en bois.

100725705000 - L cm 50x35 - H cm 38

100725708000 - L cm 80x35 - H cm 38



Raffreddamento con panetto di ghiaccio
Refrigerated by cooling pack
Refrigerado con acumulador térmico
Refroidissement avec pains de glace



100726705000

Vetrina refrigerata a due piani in acciaio e plexy apribile da due lati.

Refrigerated two floors display in stainless steel and plexy, can be opened from two sides.

Vitrina refrigerada dos pisos, de acero inox y plexy, se puede abrir por los dos lados.

Vitrine réfrigérée à deux niveaux en acier et plexy ouvrable des deux côtés.

100726705000 - L cm 50x35 - H cm 36

100726708000 - L cm 80x35 - H cm 36





100726505000

Vetrina riscaldata, termostato regolabile e **umidificatore**.
Base in legno. Cavo e spina inclusi.

Heated display, adjustable thermostat and **humidifier**.
Wood base. Cable and plug included.

Vitrina calentada, termostato regulable y **humectador**.
Base de madera. Cable y enchufe incluidos.

Vitrine chauffante, thermostat réglable et **humidificateur**.
Base en bois. Câble et prise inclus.

100726505000 - L cm 50x35 - H cm 25 - 500W MAX

100726508000 - L cm 80x35 - H cm 25 - 500W MAX



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique



100727005000

Vassoio per vetrina.

Tray for display.

Bandeja para vitrina.

Plateau pour vitrine.

100727005000 - L cm 48x33

100727008000 - L cm 78x33



100726405000

Vetrina riscaldata, termostato regolabile e **umidificatore**. Cavo e spina inclusi.

Heated display, adjustable thermostat and **humidifier**. Cable and plug included.

Vitrina calentada, termostato regulable y **humectador**. Cable y enchufe incluidos.

Vitrine chauffante, thermostat réglable et **humidificateur**. Câble et prise inclus.

100726405000 - L cm 50x35 - H cm 23 - 500W MAX

100726408000 - L cm 80x35 - H cm 23 - 500W MAX





100726908000

Vetrina riscaldata a due piani, termostato regolabile e **umidificatore**.
Base in legno. Cavo e spina inclusi.

Heated two floors display, adjustable thermostat and **humidifier**.
Wood base. Cable and plug included.

Vitrina dos pisos calentada, termostato regulable y **humectador**.
Base de madera. Cable y enchufe incluidos.

Vitrine chauffante à deux niveaux, thermostat réglable et **humidificateur**.



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique

Base en bois. Câble et prise inclus.

100726905000 - L cm 50x35 - H cm 38 - 500W MAX

100726908000 - L cm 80x35 - H cm 38 - 500W MAX



100726608000

Vetrina riscaldata a due piani, termostato regolabile e **umidificatore**. Cavo e spina inclusi.

Heated two floors display, adjustable thermostat and **humidifier**. Cable and plug included.

Vitrina dos pisos calentada, termostato regulable y **humectador**. Cable y enchufe incluidos.

Vitrine chauffante à deux niveaux, thermostat réglable et **humidificateur**. Câble et prise inclus.

100726605000 - L cm 50x35 - H cm 36 - 500W MAX

100726608000 - L cm 80x35 - H cm 36 - 500W MAX





Raffreddamento con panetto di ghiaccio
 Refrigerated by cooling pack
 Refrigerado con acumulador térmico
 Refroidissement avec pains de glace



Alimentazione a corrente elettrica
 Electric current feeding
 Alimentación a corriente
 Alimentation électrique



100727905000

Vetrina refrigerata con illuminazione a LED colore blu.

Refrigerated display with LED lighting – blue colour.

Mostrador refrigerada con iluminacion a LED color azul oscuro.

Vitrine réfrigérée avec illumination à LED, couleur bleu.

100727905000 - L cm 50x35 - H cm 23

100727908000 - L cm 80x35 - H cm 23



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique



10072870500

Vetrina riscaldata, termostato regolabile e **umidificatore**.
Base in legno. Illuminazione a LED colore rosso. Cavo e spina inclusi.

Heated display, adjustable thermostat and **humidifier**.
Wood base. LED lighting - red colour. Cable and plug included.

Vitrina calentada, termostato regulable y **humectador**.
Base de madera. Iluminación a LED color rojo. Cable y enchufe incluidos.

Vitrine chauffante, thermostat réglable et **humidificateur**.
Base en bois. Illumination à LED, couleur rouge. Câble et prise inclus.

10072870500 - L cm 50x35 - H cm 25 - 500W MAX

10072870800 - L cm 80x35 - H cm 25 - 500W MAX





Raffreddamento con pannello di ghiaccio
Refrigerated by cooling pack
Refrigerado con acumulador térmico
Refroidissement avec pains de glace



100725606000

Piano refrigerato.

Refrigerated plate.

Plancha refrigerada.

Plateau réfrigéré.

100725606000 - L cm 69x49 - H cm 8

100725608000 - L cm 89x49 - H cm 8

100725610000 - L cm 109x49 - H cm 8



100725506000

Piano refrigerato con protezione in plexy.

Refrigerated plate with plexy protection.

Plancha refrigerada con protección de plexy.

Plateau réfrigéré avec protection en plexy.

100725506000 - L cm 69x49 - H cm 54

100725508000 - L cm 89x49 - H cm 54

100725510000 - L cm 109x49 - H cm 54



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique



100728306000

Piano caldo con termostato regolabile e protezione in plexy.
Provvisto di interruttore, cavo e spina.

Heating plate with adjustable thermostat and plexy protection.
Provided with switch, cable and plug.

Placa calentadora con termostato regulable y protección de plexy.
Provisto de interruptor, cable y enchufe.

Plateau chauffante avec thermostat réglable et protection en plexy.
Pourvu d'interrupteur, câble et prise.

100728306000 - L cm 69x49 - H cm 54 - 500W MAX

100728308000 - L cm 89x49 - H cm 54 - 500W MAX

100728310000 - L cm 109x49 - H cm 54 - 1000W MAX



100728806000

Piano caldo con termostato regolabile.
Provvisto di interruttore, cavo e spina.

Heating plate with adjustable thermostat.
Provided with switch, cable and plug.

Placa calentadora con termostato regulable.
Provisto de interruptor, cable y enchufe.

Plateau chauffante avec thermostat réglable.
Pourvu d'interrupteur, câble et prise.

100728806000 - L cm 69x49 - H cm 8 - 500W MAX

100728808000 - L cm 89x49 - H cm 8 - 500W MAX

100728810000 - L cm 109x49 - H cm 8 - 1000W MAX



100728408000

Piano caldo con termostato regolabile e protezione in plexy. Provisto di interruttore, cavo e spina.

Heating plate with adjustable thermostat and plexy protection. Provided with switch, cable and plug.

Placa calentadora con termostato regulable y protección de plexy. Provisto de interruptor, cable y enchufe.

Plateau chauffante avec thermostat réglable et protection en plexy. Pourvu d'interrupteur, câble et prise.

100728406000 - L cm 69x49 - H cm 54 - 500W MAX - 1 IR lamp

100728408000 - L cm 89x49 - H cm 54 - 500W MAX - 2 IR lamps

100728410000 - L cm 109x49 - H cm 54 - 1000W MAX - 2 IR lamps





100724505000

Piano caldo in vetro con termostato regolabile e protezione in plexy.
Provvisto di interruttore, cavo e spina.

Glass heating plate with adjustable thermostat and plexy protection.
Provided with switch, cable and plug.

Placa calentadora de vidrio con termostato regulable y protección de plexy.
Provisto de interruptor, cable y enchufe.

Plateau chauffante en verre avec thermostat réglable et protection en plexy.
Pourvu d'interrupteur, câble et prise.

L cm 53x56 - H cm 46 - 600W MAX



100724405000

Piano caldo in vetro con termostato regolabile.
Provvisto di interruttore, cavo e spina.

Glass heating plate with adjustable thermostat.
Provided with switch, cable and plug.

Placa calentadora de vidrio con termostato regulable.
Provisto de interruptor, cable y enchufe.

Plateau chauffante en verre avec thermostat réglable.
Pourvu d'interrupteur, câble et prise.

L cm 53x56 - H cm 7 - 600W MAX



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique



100724510000

Piano caldo in vetro con termostato regolabile e protezione in plexy.
Provvisto di interruttore, cavo e spina.

Glass heating plate with adjustable thermostat and plexy protection.
Provided with switch, cable and plug.

Placa calentadora de vidrio con termostato regulable y protección de plexy.
Provisto de interruptor, cable y enchufe.

Plateau chauffante en verre avec thermostat réglable et protection en plexy.
Pourvu d'interrupteur, câble et prise.

L cm 106x53 - H cm 47 - 600W MAX



100724410000

Piano caldo in vetro con termostato regolabile.
Provvisto di interruttore, cavo e spina.

Glass heating plate with adjustable thermostat.
Provided with switch, cable and plug.

Placa calentadora de vidrio con termostato regulable.
Provisto de interruptor, cable y enchufe.

Plateau chauffante en verre avec thermostat réglable.
Pourvu d'interrupteur, câble et prise.

L cm 106x53 - H cm 7 - 600W MAX



Alimentazione a corrente elettrica
Electric current feeding
Alimentación a corriente
Alimentation électrique

